

## Hayfever Guidance for CCG/Primary Care

March 2019

4.3.16 Mild to Moderate Hay fever/Seasonal Rhinitis Annual Spend c. £1,100,000

Rationale for recommendation Hay fever is a common allergic condition that affects up to one in five people. There's currently no cure for hay fever, but most people with mild to moderate symptoms are able to relieve symptoms with OTC treatments recommended by a pharmacist.

References:

1. NHS Choices: Hay fever accessed October 2017
2. NICE CKS: Allergic rhinitis - Summary accessed October 2017
3. PrescQIPP: Hay fever

Recommendation: Advise CCGs that a prescription for treatment of mild to moderate hay fever will not routinely be offered in primary care as the condition is appropriate for self-care.

Exceptions : No routine exceptions have been identified.

1.5 General exceptions that apply to the recommendation to self-care

This guidance is intended to encourage people to self-care for minor illnesses as the first stage of treatment. It is envisioned that in most cases (unless specified) these minor conditions will clear up with appropriate self-care. If symptoms are not improving or responding to treatment, then patients should be encouraged to seek further advice.

When implementing this guidance, CCGs will need to supply patients with better information on signposting so that they are able to access the right service. This guidance is not intended to discourage patients from going to the GP when it is appropriate to do so.

To note that for vitamins, minerals, probiotics and those self-limiting conditions where there is limited evidence of clinical effectiveness for the treatments used (e.g. OTC items for cough, sore throat and infant colic), then the general exceptions do not apply. Specific exceptions are included (if applicable) under the relevant item and/or condition. This may need to be considered further when implementing the guidance locally.

This guidance applies to all patients, including those who would be exempt from paying prescription charges, unless they fall under the exceptions outlined.

CCGs will need to ensure that community pharmacists are reminded of 'red flag' symptoms for patients presenting with symptoms related to the conditions covered by this consultation. GPs

and/or pharmacists should refer patients to NHS Choices, the Self Care Forum or NHS 111 for further advice on when they should seek GP Care.

CCGs will also need to take account of their latest local Pharmaceutical Needs Assessment (PNA) and consider the impact of this guidance on rural areas and dispensing doctors in particular.

#### General Exceptions to the Guidance:

There are however, certain scenarios where patients should continue to have their treatments prescribed and these are outlined below:

- Patients prescribed an OTC treatment for a long term condition (e.g. regular pain relief for chronic arthritis or treatments for inflammatory bowel disease).
- For the treatment of more complex forms of minor illnesses (e.g. severe migraines that are unresponsive to over the counter medicines).
- For those patients that have symptoms that suggest the condition is not minor (i.e. those with red flag symptoms for example indigestion with very bad pain.)
- Treatment for complex patients (e.g. immunosuppressed patients).
- Patients on prescription only treatments.
- Patients prescribed OTC products to treat an adverse effect or symptom of a more complex illness and/or prescription only medications should continue to have these products prescribed on the NHS.
- Circumstances where the product licence doesn't allow the product to be sold over the counter to certain groups of patients. This may vary by medicine, but could include babies, children and/or women who are pregnant or breast-feeding. Community Pharmacists will be aware of what these are and can advise accordingly.
- Patients with a minor condition suitable for self-care that has not responded sufficiently to treatment with an OTC product.

- Patients where the clinician considers that the presenting symptom is due to a condition that would not be considered a minor condition.
- Circumstances where the prescriber believes that in their clinical judgement, exceptional circumstances exist that warrant deviation from the recommendation to self-care.
- Individual patients where the clinician considers that their ability to self-manage is compromised as a consequence of medical, mental health or significant social vulnerability to the extent that their health and/or wellbeing could be adversely affected, if reliant on self-care. To note that being exempt from paying a prescription charge does not automatically warrant an exception to the guidance. Consideration should also be given to safeguarding issues